

# LARIMER COUNTY

## STORMWATER DESIGN STANDARDS



2023

# TABLE OF CONTENTS

CHAPTER 1.0	General Provisions.....	9
1.1	Introduction .....	9
1.2	Purpose .....	9
1.3	Jurisdiction .....	9
1.4	Administration .....	9
1.5	Review and Approval .....	9
1.6	Interpretation.....	10
1.7	Variances.....	10
1.8	Amendments to the Standards.....	11
CHAPTER 2.0	Drainage Report Submittal Requirements .....	12
2.1	Introduction .....	12
2.2	Drainage Letter .....	12
2.2.1	Drainage Narrative .....	12
2.2.2	Drainage Features.....	13
2.2.3	Drainage Plan.....	13
2.3	Preliminary Drainage Report.....	13
2.3.1	General Report Requirements.....	13
2.3.2	Drainage Narrative .....	13
2.3.2.1	Introduction .....	13
2.3.2.2	General Location and Description .....	14
2.3.2.3	Drainage Basins and Sub-Basins .....	14
2.3.2.4	Drainage Design Criteria.....	14
2.3.2.5	Drainage Facility Design.....	15
2.3.2.6	Conclusions.....	15
2.3.2.7	References .....	15
2.3.2.8	Appendices .....	15
2.3.3	Drainage Plan.....	16
2.3.3.1	Overall Drainage Map.....	16
2.3.3.2	Detailed Drainage Plan .....	16
2.4	Final Drainage Report .....	16
2.4.1	Drainage Narrative .....	16
2.4.1.1	Drainage Design Criteria.....	16
2.4.1.2	Drainage Facility Design.....	17
2.4.1.3	Appendices .....	17
2.4.2	Drainage Plan.....	17
2.4.3	Erosion Control Plan .....	17
2.4.4	Construction Plans.....	17
2.5	As-Builts and Site Certification.....	18
2.5.1	Lot-Grading Certification .....	18
2.6	Variances.....	18
2.7	Certification.....	18

CHAPTER 3.0	Drainage Principles and Policies.....	19
3.1	Introduction .....	19
3.2	Principles.....	19
3.3	Planning Policies .....	21
3.4	Technical/Design Standards Policies.....	23
3.5	Operation and Maintenance Policies.....	24
3.6	Floodplain Management Policies.....	25
CHAPTER 4.0	Floodplains .....	26
4.1	Introduction .....	26
4.2	Floodplain Regulations.....	26
4.3	Definitions.....	26
4.4	Floodplain Overlay District.....	27
4.5	Floodplain Development Permits .....	28
4.5.1	Exclusions .....	28
4.5.2	Standards.....	28
4.5.3	Permit Process .....	28
4.5.4	Submittals.....	28
4.5.5	Flood Review Board.....	29
4.6	Additional Resources .....	30
CHAPTER 5.0	Rainfall.....	31
5.1	Introduction .....	31
5.2	Retrieving Data from NOAA Atlas 14 .....	31
5.3	Intensity-Duration-Frequency.....	31
5.4	Design Storm Distributions .....	32
5.5	Example.....	33
5.6	Submittal Requirements .....	35
5.7	References .....	35
CHAPTER 6.0	Runoff.....	36
6.1	Introduction .....	36
6.2	Rational Method .....	37
6.3	Colorado Urban Hydrograph Procedure (CUHP) .....	38
6.4	EPA Stormwater Management Model (SWMM) .....	38
6.5	Hydrologic Engineering Center – Hydrologic Modeling System (HEC-HMS) .....	38
6.6	Streamflow Statistical Analysis .....	39
6.7	StreamStats.....	39
6.8	Offsite Flows (Upstream).....	39
6.9	Post-Fire Runoff Considerations .....	40
6.10	Submittal Requirements .....	40
6.11	References .....	40
CHAPTER 7.0	Streets.....	41
7.1	Introduction .....	41
7.2	Street Classifications .....	41

7.3	Minor and Major Events .....	41
7.4	Encroachment and Cross-Street Flow Criteria.....	42
7.5	Design Procedures .....	43
7.6	Submittal Requirements .....	43
CHAPTER 8.0 Inlets .....		44
8.1	Introduction .....	44
8.2	Inlet Types and Application.....	44
8.3	Design Procedures and Considerations .....	45
8.4	Submittal Requirements .....	45
CHAPTER 9.0 Storm Drains .....		46
9.1	Introduction .....	46
9.2	Pipe Sizes and Materials .....	46
9.3	Manholes .....	46
9.4	Storm Drain Outlets .....	46
9.5	Storm Drain Cover.....	47
9.6	Hydraulic Design .....	47
9.7	Design Procedures .....	47
9.8	Submittal Requirements .....	48
CHAPTER 10.0 Culverts.....		49
10.1	Introduction .....	49
10.2	Design Criteria and Considerations.....	49
10.2.1	Additional Requirements, References and Guidelines.....	49
10.2.2	Culvert Classification, Design Event, Headwater Depths .....	49
10.2.3	Culvert Size and Material.....	51
10.2.4	Inlet and Outlet Design.....	52
10.2.5	Cover Depth.....	53
10.2.6	Velocity and Outlet Protection .....	53
10.2.7	Debris Control (Post-Fire Areas).....	53
10.3	Design Procedures .....	53
10.4	Submittal Requirements .....	53
10.5	Permits .....	54
10.6	References .....	54
CHAPTER 11.0 Bridges .....		55
11.1	Introduction .....	55
11.2	Design Criteria and Considerations.....	55
11.2.1	Design Events.....	55
11.2.2	Freeboard .....	56
11.2.3	Debris Control (Post-Fire Areas).....	56
11.3	Design Procedures .....	56
11.3.1	Hydraulic Analysis.....	56
11.3.2	Scour Analysis .....	56
11.4	Submittal Requirements .....	57

11.5	Permits .....	57
11.6	References .....	58
CHAPTER 12.0 Open Channels .....		59
12.1	Introduction .....	59
12.2	Design Criteria and Considerations – Swales .....	59
12.2.1	Type .....	59
12.2.2	Design Event and Freeboard .....	59
12.2.3	Cross-Section .....	59
12.2.4	Hydraulic Design Requirements .....	59
12.2.4.1	Grass Swales .....	59
12.2.4.2	Riprap-Lined Swales.....	60
12.2.5	Common Area Lots, Outlots and Easements.....	61
12.3	Roadside Ditches.....	61
12.4	Naturalized Channels .....	61
12.5	Hydraulic Analysis .....	61
12.5.1	Manning’s Equation.....	61
12.5.2	Hydraulic Modeling.....	62
12.5.3	Roughness Coefficients.....	62
12.6	Submittal Requirements .....	63
CHAPTER 13.0 Hydraulic Structures .....		68
13.1	Introduction .....	68
13.2	Supplemental Guidance .....	68
13.2.1	Grade Control Structures.....	68
13.2.2	Outfalls and Rundowns.....	68
13.2.3	Rundowns .....	69
13.3	Submittal Requirements .....	69
CHAPTER 14.0 Detention (Storage).....		70
14.1	Introduction .....	70
14.2	Threshold for Requiring Detention .....	70
14.3	Detention Volume Requirements and Allowable Release Rates .....	71
14.4	Types of Detention Facilities.....	71
14.5	Detention and Water Rights .....	72
14.6	Design Criteria and Considerations.....	73
14.7	Impacts to Downstream Property and Infrastructure .....	73
14.8	Maintenance .....	74
14.9	Submittal Requirements .....	74
14.10	References .....	74
CHAPTER 15.0 Post-Construction Stormwater Controls.....		75
15.1	Introduction .....	75
15.1.1	Four Step Process for Stormwater Quality Management .....	75
15.2	Runoff Reduction Practices (LID/MCDIA) .....	76
15.2.1	Runoff Reduction Practices and Design Criteria.....	76

15.2.2	Submittal Requirements.....	77
15.3	Water Quality SCMs.....	77
15.3.1	SCM Selection and Application.....	78
15.3.2	Water Quality SCM Design Criteria .....	80
15.3.3	Maintenance.....	81
15.3.4	Submittal Requirements.....	81
CHAPTER 16.0	Construction Stormwater Management.....	82
16.1	Introduction .....	82
16.2	Development Construction Permit.....	82
16.3	Land Disturbance Permit.....	82
16.4	Erosion and Sediment Control Plan .....	83
16.4.1	General Information and Site Description.....	83
16.4.2	Construction Stormwater Control Measures .....	83
16.4.3	Inspections and Maintenance .....	84
16.4.4	Final Stabilization and Long-term Stormwater Management .....	84
16.4.5	Plan Map/Drawings .....	84
16.4.6	Erosion Control Escrow.....	84
16.5	Enforcement .....	85
16.6	REFERENCES.....	85
CHAPTER 17.0	Revegetation .....	86
17.1	Introduction .....	86
17.2	Site Preparation .....	86
17.3	Plant Material Selection.....	87
17.4	Plant Installation .....	88
17.5	Mulching .....	88
17.6	Maintenance .....	89
17.7	Post-construction Monitoring.....	89
17.8	Post-Fire Revegetation.....	90
17.9	Submittal Requirements .....	90
17.10	Permits .....	90
17.11	References and Resources.....	90

## TABLES

Table 5-1.	from MHFD Manual showing 2-hour design storm distributions based on 1-hour precipitation depths.....	32
Table 6-1.	Accepted Hydrologic Runoff Methods in Larimer County.....	36
Table 6-2:	Percent imperviousness values to be used in hydrologic modeling .....	37
Table 7-1	Minor and major storm design events for rural and urban streets and roadways.....	41
Table 7-2	Encroachment criteria for minor storm event.....	42
Table 7-3	Encroachment criteria for major storm event.....	42
Table 7-4	Allowable cross-street flow depths using cross-pans.....	43
Table 8-1	Inlet type and application .....	44

Table 9-1. Allowable values for storm drain design parameters.....	47
Table 10-1. Design Event, Maximum Headwater Depth and Overtopping Depth Criteria* .....	51
Table 10-2. Culvert Size and Material Requirements .....	52
Table 11-1. Hydraulic Design, Scour Design, and Scour Design Check Flood Frequencies (modified from HEC-18) .....	57
Table 12-1. Hydraulic design criteria for vegetated (grass) swales .....	60
Table 12-2: Typical roughness coefficients (based on Table 8-5 in MHFD Manual) .....	63
Table 13-1. Erosion control and energy dissipation structure types.....	69
Table 14-1: Types of Detention Facilities and Allowable Applications.....	72
Table 14-2: Types of facilities requiring notification per CRS §37-92-602(8) (From MHFD Memorandum regarding CRS §37-92-602(8)).....	73
Table 15-1. Water Quality SCM Selection and Application .....	79
Table 15-2. Drain Time Coefficients for WQCV Calculations (Taken from MHFD Manual Volume 3) .....	81
Table 17-1: Site preparation activities for revegetating upland, riparian and wetland habitats, with chapter references from the Revegetation chapter of the MHFD Manual .....	87
Table 17-2: Plant material for revegetating upland, riparian and wetland habitat types, with chapter references from the Revegetation chapter of the MHFD Manual .....	87
Table 17-3: Installation methods for revegetating upland, riparian and wetland habitat types, with chapter references from the Revegetation chapter of the MHFD Manual .....	88

## FIGURES

Figure 4-1. Floodplain Development Permit Flowchart (From Larimer County Floodplain Development Guide) .....	29
Figure 5-1. Location near Red Feather Lakes selected for point precipitation estimates using NOAA Atlas 14 .....	33
Figure 5-2. Output table of precipitation intensity estimates including 90% confidence intervals produced for a point near Red Feather Lakes using NOAA Atlas 14 .....	34
Figure 5-3. Intensity-duration-frequency curve generated from NOAA Atlas 14 data for a point outside Red Feather Lakes .....	35
Figure 8-1: Perspective view of different inlet types.....	45
Figure 10-1. Culvert Classification Diagram.....	50
Figure 10-2. Example End Section for Reinforced Concrete Circular Pipe from CDOT Standard Plan No. M-603-10 .....	52
Figure 12-1. Swale stability chart: 2- to 4-foot bottom width and side slopes between 5:1 and 10:1 (Note: Riprap classifications refer to gradation for riprap used in soil riprap or void-filled riprap.) (Source: Muller Engineering Company from MHFD, USDCM Volume 1, Chapter 8).....	64

Figure 12-2. Swale stability chart: 2- to 4-foot bottom width and 10:1 (or flatter) side slopes (Note: Riprap classifications refer to gradation for riprap used in soil riprap or void-filled riprap.) (Source: Muller Engineering Company from MHFD, USDCM Volume 1, Chapter 8)..... 65

Figure 12-3. Swale stability chart: greater than 4-foot bottom width and side slopes between 5:1 and 10:1 (Note: Riprap classifications refer to gradation for riprap used in soil riprap or void-filled riprap.) (Source: Muller Engineering Company from MHFD, USDCM Volume 1, Chapter 8)..... 66

Figure 12-4. Swale stability chart: greater than 4-foot bottom width and 10:1 (or flatter) side slopes (Note: Riprap classifications refer to gradation for riprap used in soil riprap or void-filled riprap.) (Source: Muller Engineering Company from MHFD, USDCM Volume 1, Chapter 8)..... 67

## APPENDICES

Appendix A: Submittals Checklists

Appendix B: Construction Stormwater Management – Guidance Document

Appendix C: Construction Stormwater Management – ESCP Checklist

Appendix D: Construction Stormwater Management – Standard Forms

Appendix E: Construction Stormwater Management – Construction Plan Symbols

Appendix F: Construction Stormwater Management – Standard Notes

Appendix G: Construction Stormwater Management – Erosion Control Fact Sheets

Appendix H: Construction Stormwater Management – Sediment Control Fact Sheets

Appendix I: Construction Stormwater Management – Materials Management Fact Sheets

Appendix J: Construction Stormwater Management – Site Management Fact Sheets

Appendix K: Seed Mixes for Revegetation